



LAVO  
11900 Boul. Saint-Jean Baptiste  
Montréal, QC, H1C 2J3  
CANADA  
1-800-361-6898

**PRODUCT: OLD DUTCH Absolute clean**

**CODE: ODF00-0196**

### SECTION 01: IDENTIFICATION

Product identification..... OLD DUTCH Absolute clean  
 Product code..... OD F00-0196  
 Manufacturer by..... LAVO  
 11900 Boul. Saint-Jean-Baptiste  
 Montréal, QC, H1C 2J3  
 CANADA  
 1-800-361-6898  
 Recommended use..... Disinfectant for hard non porous surfaces: Kitchen, Bathroom and Toilet bowls. Laundry  
 and Household bleach. Domestic use.  
 Business hours..... 8:00AM - 4:30PM.  
 24 HOUR EMERGENCY NUMBER:..... CANUTEC 24-Hour Number: 613-996-6666.

### SECTION 02: HAZARD IDENTIFICATION



Hazard classification..... Skin Corrosion/Irritation Category 2. Eye Irritation Category 2. Acute Toxicity (Oral) —  
 Category 4.  
 LABEL ELEMENTS:  
 Signal word..... WARNING.  
 Hazard statements..... H315 Causes skin irritation. H320 Causes eye irritation. H332 Harmful if inhaled.  
 Precautionary statements..... P264 Wash thoroughly after handling. P273 Avoid release to the environment. P280 Wear  
 protective gloves/protective clothing/eye protection/face protection. P302+P352 IF ON  
 SKIN: Wash with plenty water. P305+P351+P338 IF IN EYES: Rinse cautiously with water  
 for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P501 Dispose of contents/container to an approved waste disposal plant. Surfaces subject  
 to direct contact with food are thoroughly rinsed with potable water after treatment with this  
 product.

### SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS

| CHEMICAL NAME AND SYNONYMS | CAS #     | WT. %   |
|----------------------------|-----------|---------|
| Sodium Hypochlorite        | 7681-52-9 | 4.0-5.0 |
| Sodium Hydroxide           | 1310-73-2 | <0.5    |

### SECTION 04: FIRST-AID MEASURES

Description of first aid measures:  
 Inhalation..... Remove victim to fresh air. If not breathing give artificial respiration or oxygen by trained  
 personnel. Get immediate medical attention. Call a poison center or physician.  
 Eye contact..... Immediately hold eyelids open and flush with water for at least 15 minutes. Check for and  
 remove any contact lenses if easy to do. Consult a physician.  
 Skin contact..... Wash affected area immediately with large amounts of soap and water. Remove  
 contaminated clothing and wash before reuse. Consult a physician.  
 Ingestion..... Call IMMEDIATELY a poison centre or a doctor. Do not induce vomiting or give anything by  
 mouth to an unconscious person. Rinse out mouth with water.  
 Acute symptoms/Effects  
 Eyes:..... May irritate eyes.  
 Ingestion:..... May cause severe irritation damage in the mouth, throat and stomach. Symptoms may  
 include abdominal pain, vomiting, burns, perforations, bleeding and eventually death.  
 Skin:..... Causes severe burns. Causes skin irritation. Direct skin contact may cause skin burns,  
 deep ulcerations and possibly permanent scarring.  
 Inhalation:..... Inhalation of high concentrations of fumes or mists may cause severe irritation and  
 corrosive damage to the nose, throat and upper respiratory tract.  
 Delayed symptoms/Effects..... Prolonged or repeated contact may cause drying, cracking and defatting of the skin.  
 General advice..... Consult a physician. Show this safety data sheet to the doctor.

PRODUCT: OLD DUTCH Absolute clean

CODE: ODF00-0196

**SECTION 05: FIRE-FIGHTING MEASURES**

Suitable extinguishing media..... Use fire-extinguishing media appropriate for surrounding materials. Use Water spray, Alcohol-resistant foam, Dry chemical or Carbon dioxide.

Unsuitable extinguishing media..... Do not use dry chemical extinguishing agents that contain ammonium compounds.

Specific hazards arising from the chemical May include and are not limited to: Chlorine; Hydrogen chloride gas; Oxygen; Sodium dioxides.

Special protective actions for fire-fighters. Firefighter should wear proper protective equipment and self contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Use water to cool fire exposed containers.

**SECTION 06: ACCIDENTAL RELEASE MEASURES**

Personnal precautions..... Restrict access to area until completion of clean up. Evacuate personnel to safe areas. All persons dealing with clean up should wear the appropriate protective equipment including self contained breathing apparatus. Use personnel protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Environmental precautions..... Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply. Prevent further leakage or spillage if safe to do.

Methods and materials for containment and cleaning Contain and absorb spilled liquid with non combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal. Flush with water. Do not flush into surface water or sanitary sewer system. Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

**SECTION 07: HANDLING AND STORAGE**

Precaution for safe handling..... Use good industrial hygiene practices in handling this material. Do not eat, drink or smoke when using this product. Use in well ventilated areas. Do not get in eyes, on skin or on clothing. Avoid inhalation of mists/vapours/fumes. Wash thoroughly after handling. Keep container tightly closed.

Condition for safe storage..... Keep out of reach of children. Protect from sunlight. Keep container tightly closed. Store in a cool, dry and well ventilated area.

Storage temperature..... <30°C.

**SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION**

| INGREDIENTS                               | ACGIH TLV   |                 | PEL    | OSHA PEL      |               | NIOSH         |
|---|---|-----------------|--------|---------------|---------------|---------------|
|   | TWA   | STEL            |        | STEL          | REL           |               |
| Sodium Hypochlorite                       | Not available   | Ceiling: 2mg/m3 | 2mg/m3 | Not available | Not available | Not available |
| Sodium Hydroxide                          | Not available   | 2mg/m3          | 2mg/m3 | Not available | Not available | Not available |
| ACGIH TLV:.....                           | American Conference of Governmental Industrial Hygienists - Threshold Limit Value.  |                 |        |               |               |               |
| OSHA PEL:.....                            | Occupational Safety and Health Administration - Permissible Exposure Limits.  |                 |        |               |               |               |
| NIOSH IDLH:.....                          | Immediately Dangerous to Life or Health.  |                 |        |               |               |               |
| Appropriate engineering controls.....     | Use under well-ventilated conditions or with respiratory protection.  |                 |        |               |               |               |
| General hygiene considerations.....       | Avoid breathing vapor or mist. Avoid contact with skin, eyes and clothing. Remove soiled clothing and wash it thoroughly before reuse. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Do not eat, drink, smoke or use cosmetics while working with this product. |                 |        |               |               |               |
| Personnal protection equipment (PPE)..... | As required by employer. Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workspace.  |                 |        |               |               |               |
| Eye / Face protection:.....               | Wear safety glasses with side shields or goggles.   |                 |        |               |               |               |
| Skin protection:.....                     | Wear protective gloves. Gloves must be inspected prior to use.  |                 |        |               |               |               |
| Respiratory protection:.....              | Use appropriate respiratory protection if there is the potential to exceed the exposure limit(s). Use a full face respirator with multi-purpose combination or Wear self contained breathing apparatus.   |                 |        |               |               |               |

**SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance, physical state..... Clear liquid. Translucent. Light yellow liquid.

Odour..... Chlorine odor.

pH..... 11.5-13.5.

Initial boiling point and Boiling range (°C).. 96 to 120°C.

Flash point (°C)..... Not applicable. Product does not sustain combustion.

Evaporation rate..... Not available.

Flammability..... Not applicable.

PRODUCT: OLD DUTCH Absolute clean

CODE: ODF00-0196

**SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

Upper/Lower Flammability or explosive ... Not applicable.  
 limits  
 Vapour pressure (mmHg)..... < 2.3 kPa (17.5 mm Hg @ 20°C).  
 Density..... 1.03-1.09.  
 Relative Vapour Density (AIR=1)..... Heavier than air.  
 Solubility in water (%w/w)..... Soluble in cold water.  
 Partition coefficient n-octanol/water (log)... Not available.  
 Auto ignition temperature (°C)..... Not applicable.  
 Decomposition temperature..... Not available.  
 Refractive Index..... 9.0-11.0.

**SECTION 10: STABILITY AND REACTIVITY**

Reactivity..... React vigorously with acids. Reacts with amines and ammonia to form explosively unstable compounds. May develop chlorine if mixed with acidic solutions. Contact with some reactive metals may produce flammable hydrogen gas. Corrosive to metals.  
 Chemical stability..... Stable under the recommended storage and handling conditions prescribed.  
 Possibility of hazardous reactions..... Hazardous polymerization cannot occur.  
 Conditions to avoid..... Avoid heat and open flame. Exposure to sunlight. Do not mix with other chemicals.  
 Incompatible materials..... Avoid contact with the following materials: Urea, Ammonia, Amides, Amines, Nitrogen containing compounds, Combustible materials, Organic materials, Metals, Reducing materials, Hydrocarbons materials, Alcohols, Ether. Contact with Magnesium, galvanized Zinc, Tin, Chromium, Brass and Bronze generates explosive Hydrogen.  
 Hazardous decomposition products..... May include and are not limited to: Hydrogen chloride, Chlorine gas, Sodium dioxide.

**SECTION 11: TOXICOLOGICAL INFORMATION**

| INGREDIENTS  | LC50  | LD50  |
|--|---|---|
| Sodium Hypochlorite  | Inhalation Rat >10.5mg/kg;  | Oral Rat: 8200mg/kg; Oral Mice: 5800mg/kg; Dermal Rat:>2000 mg/kg; Dermal Rabbit >10000mg/kg; |
| Sodium Hydroxide   | Not available   | Oral Rat 300-500mg/kg;Dermal Rabbit >2000mg/kg;   |
| Information on the likely routes of exposure                                 | Eyes, skin, respiratory system and digestive system.  |   |
| Potential effects on humans  |   |   |
| Eye contact.....   | May cause eye irritation.   |   |
| Skin contact.....  | May cause skin irritation.  |   |
| Inhalation.....  | Harmful if inhaled. May cause respiratory tract irritation or chemical burns.   |   |
| Ingestion.....   | Harmful if swallowed. May cause severe irritation and corrosive damage to mouth, throat and stomach.  |   |
| Chronic effects on humans.....   | Safe handling of this material on a long term basis should emphasize the prevention of all contact with this material to avoid any effects from repetitive acute exposures. |   |
| Sensitization.....   | Not available.  |   |
| Mutagenicity.....  | Not available.  |   |
| Carcinogenicity.....   | No evidence of carcinogenic effects.  |   |
| Reproductive toxicity.....   | Not available.  |   |
| Teratogenicity.....  | Not available.  |   |
| Specific target organs toxicity - Single ..... exposure                      | Not available.  |   |
| Specific target organs toxicity - Repeated exposure                          | Not available.  |   |
| Aspiration hazard.....   | Not available.  |   |
| Target organs.....   | Contains material which may cause damage to the following organs:upper respiratory tract, skin, eye, lens of cornea and stomach.  |   |
| Symptoms related to the physical, chemical and toxicological characteristics | Burning sensation, Cough, Wheezing, Laryngitis, Shortness of breath, Spasm, Inflammation and Edema of the Larynx, Inflammation and Edema of the bronchi and Pneumony edema. |   |
| Interactive effects.....   | Not available.  |   |

**SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicity data, Sodium Hypochlorite:..... Acute 96Hrs LC50 Rainbow trout: 0.030 - 0.070 mg/L.  
 Acute 48Hrs LC50 Daphnia magna:0.032 - 0.036 mg/L.  
 Ecotoxicity data, Sodium Hydroxide:..... Acute 96Hrs LC50 fish Guppy Poecilia reticulata:196 mg/L  
 Chronic 96Hrs NOEC fish Guppy Poecilia reticulata:56 mg/L.  
 Persistence and degradability..... Not available.  
 Bioaccumulation potency..... Not available.  
 Mobility in soil..... Not available.

PRODUCT: OLD DUTCH Absolute clean

CODE: ODF00-0196

**SECTION 12: ECOLOGICAL INFORMATION**

Other adverse effects..... Toxic to aquatic life with long lasting effects.

**SECTION 13: DISPOSAL CONSIDERATIONS**

Disposal methods..... Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Observe all local, provincial/state and federal environmental regulations.

**SECTION 14: TRANSPORT INFORMATION**

TDG Classification..... Class 8 PG III UN3266 CORROSIVE LIQUID, BASIC, INORGANIC, n.o.s. (Sodium hypochlorite). Limited quantity exception per TDG Regulations Part 1.17(2) -Containers not more than 5L.

DOT US: Department of Transport US..... Class 8 PG III UN3266 CORROSIVE LIQUID, BASIC, INORGANIC, n.o.s. (Sodium hypochlorite). Limited quantity exception per TDG Regulations Part 1.17(2) -Containers not more than 5L.

IMDG: International Maritime Dangerous Goods . Class 8 PG III UN3266 CORROSIVE LIQUID, BASIC, INORGANIC, n.o.s. (Sodium hypochlorite).

IATA: International Air Transportation Association ..... Class 8 PG III UN3266 CORROSIVE LIQUID, BASIC, INORGANIC, n.o.s. (Sodium hypochlorite).

**SECTION 15: REGULATORY INFORMATION**

WHMIS Classification..... This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and this document contains all the information required by the Controlled Products Regulations. Class E: Corrosive Material. Class D-2B: Toxic material Causing other toxic effects.

**SECTION 16: OTHER INFORMATION**

BLEACH4 DIN..... F000-0169/0170/0182/0186/0196/0197/0198/.

Disclaimer:..... The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. LAVO expressly disclaims all expressed or implied warranties for the accuracy or completeness of the data contained herein and assumes no responsibilities for any involved damages by above data. Products users have to do their own tests to establish the applicability of the information for a specific use of the product. SDS data does not apply to use with any other product or in any other process.

Prepared by: ..... Regulatory Affairs.

Preparation date..... 2023-05-04